| Lake Cumberland District Health Department Adair County Factsheet 2024 | | | | | |
|---|---------|-----------|---------|-----------|--|
| | | 014 | 20 | 024 | |
| Indicator | Adair | Kentucky | Adair | Kentucky | |
| Demographics | | | | | |
| Population | 18,675 | 4,380,415 | 19,067 | 4,512,310 | |
| 6 below 18 years of age | 22.1% | 23.2% | 19.3% | 22.3% | |
| 65 and older | 16.1% | 14.0% | 19.7% | 17.6% | |
| 6 Non-Hispanic Black | 2.6% | 7.8% | 2.8% | 8.4% | |
| 6 Hispanic | 1.8% | 3.1% | 2.7% | 4.3% | |
| 6 Non-Hispanic White | 94.1% | 86.1% | 91.9% | 83.2% | |
| % not proficient in English | 0.3% | 1.0% | 0.0% | 1.0% | |
| Health Outcomes | | | | | |
| Length of Life | | | | | |
| remature Death | 7,968 | 8,768 | 11,200 | 11,100 | |
| Quality of Life | | | | | |
| Poor or fair health | 32% | 21% | 23% | 21% | |
| oor physical health days | 5.7 | 4.8 | 4.9 | 4.5 | |
| Poor mental health days | 5.0 | 4.3 | 5.7 | 5.5 | |
| ow birthweight | 8.8% | 9.1% | 8% | 9% | |
| Health Factors | | | | | |
| Health Behaviors | | | | | |
| Adult Smoking | 34% | 26% | 23% | 20% | |
| Adult Obesity | 34% | 33% | 41% | 41% | |
| ood environment index | 7.5 | 7.4 | 7.6 | 6.8 | |
| Physical inactivity | 35% | 31% | 32% | 30% | |
| Access to exercise opportunities | 62% | 62% | 43% | 70% | |
| Excessive drinking | n/a | 12% | 13% | 15% | |
| Alcohol-impaired driving deaths | 26% | 28% | 26% | 26% | |
| Sexually transmitted infections | 230 | 381 | 232.4 | 410.3 | |
| Feen birth rate | 42 | 49 | 20 | 26 | |
| Clinical Care | | | | | |
| Jninsured | 21% | 17% | 8% | 7% | |
| Primary care physicians | 2,669:1 | 1,560:1 | 3,790:1 | 1,600:1 | |
| Dentists | 6,225:1 | 1,731:1 | 6,360:1 | 1,500:1 | |
| Mental health providers | 1,245:1 | 852:1 | 370:1 | 340:1 | |
| Diabetic monitoring | 82% | 84% | n/a | n/a | |
| Mammography screening | 44.2% | 59.5% | 42% | 42% | |
| lu vaccinations | n/a | n/a | 30% | 44% | |
| Social & Economic Factors | | | | | |
| ligh school graduation | 78% | 79% | 96% | 91% | |
| Some college | 47.7% | 57.4% | 53% | 63% | |
| Jnemployment | 7.7% | 8.2% | 4.5% | 3.9% | |
| Children in poverty | 39% | 27% | 32% | 21% | |
| ncome inequality | n/a | n/a | 5.1 | 4.9 | |
| Children in single-parent households | 27% | 32% | 13% | 25% | |
| Physical Environment | | | | | |
| Air pollution- particulate matter | 13.5 | 13.5 | 7.9 | 8.2 | |
| Drinking water violations | 0% | 7% | 0% | n/a | |
| Severe housing problems | 16% | 14% | 13% | 13% | |
| Driving alone to work | 80% | 82% | 77% | 79% | |
| ong commute- drive alone | 30% | 28% | 27% | 31% | |

| Lake Cumberland District Health Department Casey County Factsheet 2024 | | | | | |
|---|----------|-----------|---------|-----------|--|
| | | 014 | 2(|)24 | |
| Indicator | Casey | Kentucky | Casey | Kentucky | |
| Demographics | Casey | Kentucky | Casey | Kentucky | |
| Population | 16,082 | 4,380,415 | 15,920 | 4,512,310 | |
| % below 18 years of age | 23.2% | 23.2% | 22.7% | 22.3% | |
| % 65 and older | 17.4% | 14.0% | 20.9% | 17.6% | |
| % Non-Hispanic Black | 0.5% | 7.8% | 1.1% | 8.4% | |
| 6 Hispanic | 2.5% | 3.1% | 3.1% | 4.3% | |
| % Non-Hispanic White | 95.7% | 86.1% | 94.0% | 83.2% | |
| % not proficient in English | 1.4% | 1.0% | 1.0% | 1.0% | |
| · · · | 1.4% | 1.0% | 1.0% | 1.0% | |
| Health Outcomes | | | | | |
| Length of Life | 40.405 | 0.750 | 44 700 | 11.100 | |
| Premature Death | 10,495 | 8,768 | 11,700 | 11,100 | |
| Quality of Life | 0=01 | 0.121 | 0.001 | | |
| Poor or fair health | 25% | 21% | 28% | 21% | |
| Poor physical health days | 6.4 | 4.8 | 5.6 | 4.5 | |
| Poor mental health days | 5.1 | 4.3 | 6.4 | 5.5 | |
| ow birthweight | 8.9% | 9.1% | 7% | 9% | |
| Health Factors | | | | | |
| Health Behaviors | | | | - | |
| Adult Smoking | 30% | 26% | 29% | 20% | |
| Adult Obesity | 35% | 33% | 43% | 41% | |
| Food environment index | 7.6 | 7.4 | 7.1 | 6.8 | |
| Physical inactivity | 38% | 31% | 37% | 30% | |
| Access to exercise opportunities | n/a | 62% | 10% | 70% | |
| Excessive drinking | 14% | 12% | 13% | 15% | |
| Alcohol-impaired driving deaths | 19% | 28% | 57% | 26% | |
| Sexually transmitted infections | 113 | 381 | 277.3 | 410.3 | |
| Teen birth rate | 55 | 49 | 36 | 26 | |
| Clinical Care | • | | | | |
| Jninsured | 22% | 17% | 9% | 7% | |
| Primary care physicians | 7,995:1 | 1,560:1 | 7,930:1 | 1,600:1 | |
| Dentists | 16,082:1 | 1,731:1 | 5,310:1 | 1,500:1 | |
| Mental health providers | 1,787:1 | 852:1 | 940:1 | 340:1 | |
| Diabetic monitoring | 81% | 84% | n/a | n/a | |
| Vammography screening | 47.8% | 59.5% | 32% | 42% | |
| Flu vaccinations | n/a | n/a | 27% | 44% | |
| Social & Economic Factors | , a | | 2770 | 11/0 | |
| High school graduation | 89% | 79% | 98% | 91% | |
| Some college | 41.5% | 57.4% | 37% | 63% | |
| Jnemployment | 7.9% | 8.2% | 3.7% | 3.9% | |
| Children in poverty | 40% | 27% | 3.7% | 21% | |
| ncome inequality | 40% | 2/% | 5.5 | 4.9 | |
| | | | | | |
| Children in single-parent households | 28% | 32% | 21% | 25% | |
| Physical Environment | 12.2 | 12.5 | | | |
| Air pollution- particulate matter | 13.3 | 13.5 | 8.0 | 8.2 | |
| Drinking water violations | 10% | 7% | 0% | n/a | |
| Severe housing problems | 14% | 14% | 12% | 13% | |
| Driving alone to work | 76% | 82% | 77% | 79% | |
| Long commute- drive alone County Health Rankings 2014, 2024 | 40% | 28% | 40% | 31% | |

| Lake Cumberland District Health Department | | | | | |
|--|--------------------------|-----------|---------|----------------|--|
| Clinton County Factsheet 2024 | | | | | |
| Indicator | 2014 Clinton Kentucky | | Clinton | 24 Kentucky | |
| Demographics | Cinton | Kentucky | Cinton | кепсиску | |
| Population | 10,285 | 4,380,415 | 9,123 | 4,512,310 | |
| 6 below 18 years of age | 23.5% | 23.2% | 21.7% | 22.3% | |
| 65 and older | 17.2% | 14.0% | 22.3% | 17.6% | |
| % Non-Hispanic Black | 0.4% | 7.8% | 0.8% | 8.4% | |
| % Hispanic | 2.4% | 3.1% | 3.7% | 4.3% | |
| % Non-Hispanic White | 95.7% | 86.1% | 93.3% | 83.2% | |
| % not proficient in English | 0.5% | 1.0% | 1.0% | 1.0% | |
| Health Outcomes | 0.5% | 1.076 | 1.0% | 1.0% | |
| | | | | | |
| Length of Life | 0.670 | 0.700 | 11 100 | 11 100 | |
| Premature Death | 9,670 | 8,768 | 11,100 | 11,100 | |
| Quality of Life | 2001 | 240/ | 270/ | 2404 | |
| Poor or fair health | 28% | 21% | 27% | 21% | |
| Poor physical health days | 7.0 | 4.8 | 5.4 | 4.5 | |
| Poor mental health days | 4.4 | 4.3 | 6.1 | 5.5 | |
| .ow birthweight | 11.1% | 9.1% | 9% | 9% | |
| Health Factors | | | | | |
| Health Behaviors | T | | | T | |
| Adult Smoking | 21% | 26% | 28% | 20% | |
| Adult Obesity | 32% | 33% | 41% | 41% | |
| Food environment index | 7.7 | 7.4 | 7.4 | 6.8 | |
| Physical inactivity | 36% | 31% | 36% | 30% | |
| Access to exercise opportunities | 74% | 62% | 52% | 70% | |
| Excessive drinking | n/a | 12% | 13% | 15% | |
| Alcohol-impaired driving deaths | 38% | 28% | 14% | 26% | |
| Sexually transmitted infections | 98 | 381 | 183.5 | 410.3 | |
| Teen birth rate | 63 | 49 | 45 | 26 | |
| Clinical Care | | | | • | |
| Uninsured | 20% | 17% | 9% | 7% | |
| Primary care physicians | 2,550:1 | 1,560:1 | 1,850:1 | 1,600:1 | |
| Dentists | 3,428:1 | 1,731:1 | 3,040:1 | 1,500:1 | |
| Mental health providers | 1,286:1 | 852:1 | 510:1 | 340:1 | |
| Diabetic monitoring | 71% | 84% | n/a | n/a | |
| Vammography screening | 38.8% | 59.5% | 31% | 42% | |
| Flu vaccinations | n/a | n/a | 32% | 44% | |
| Social & Economic Factors | .,. | | | | |
| High school graduation | 88% | 79% | 98% | 91% | |
| Some college | 36.1% | 57.4% | 48% | 63% | |
| Jnemployment | 9.5% | 8.2% | 4.8% | 3.9% | |
| Children in poverty | 40% | 27% | 34% | 21% | |
| ncome inequality | n/a | n/a | 4.9 | 4.9 | |
| Children in single-parent households | 41% | 32% | 29% | 25% | |
| - · · | 41% | 52/0 | 29% | 2370 | |
| Physical Environment | 10 5 | 12 5 | 7.2 | 0.2 | |
| Air pollution- particulate matter | 13.5 | 13.5 | 7.3 | 8.2 | |
| Drinking water violations | 0% | 7% | 0% | n/a | |
| Severe housing problems | 14% | 14% | 11% | 13% | |
| Driving alone to work | 87% | 82% | 83% | 79% | |
| Long commute- drive alone County Health Rankings 2014, 2024 | 15% | 28% | 20% | 31% | |

| Lake Cumberland District Health Department Cumberland County Factsheet 2024 | | | | |
|--|----------------|--------------------|----------------|--------------------|
| Cu | | | 202 | А |
| te di set se | | 2014 | | |
| Indicator | Cumberland | Kentucky | Cumberland | Kentucky |
| Demographics | 6.810 | 4 280 415 | F 046 | 4 5 1 2 2 1 0 |
| Population % below 18 years of age | 6,819 22.0% | 4,380,415 23.2% | 5,946 21.4% | 4,512,310 22.3% |
| | | | | |
| % 65 and older | 19.8% | 14.0% | 23.0% | 17.6% |
| % Non-Hispanic Black | 2.7% | 7.8% | 3.1% | 8.4% |
| % Hispanic | 0.9% | 3.1% | 2.2% | 4.3% |
| % Non-Hispanic White | 95.0% | 86.1% | 92.5% | 83.2% |
| % not proficient in English | 0.1% | 1.0% | 1.0% | 1.0% |
| Health Outcomes | | | | |
| Length of Life | | | | |
| Premature Death | 13,257 | 8,768 | 10,200 | 11,100 |
| Quality of Life | | | | |
| Poor or fair health | 29% | 21% | 26% | 21% |
| Poor physical health days | 6.4 | 4.8 | 5.4 | 4.5 |
| Poor mental health days | 5.0 | 4.3 | 6.3 | 5.5 |
| ow birthweight | 11.6% | 9.1% | 8% | 9% |
| Health Factors | | | | |
| Health Behaviors | <u> </u> | | | |
| Adult Smoking | 27% | 26% | 27% | 20% |
| Adult Obesity | 34% | 33% | 43% | 41% |
| Food environment index | 7.6 | 7.4 | 7.6 | 6.8 |
| Physical inactivity | 37% | 31% | 36% | 30% |
| Access to exercise opportunities | 11% | 62% | 7% | 70% |
| Excessive drinking | n/a | 12% | 13% | 15% |
| Alcohol-impaired driving deaths | 25% | 28% | 33% | 26% |
| Sexually transmitted infections | 146 | 381 | 187.1 | 410.3 |
| Teen birth rate | 57 | 49 | 38 | 26 |
| Clinical Care | | | | |
| Jninsured | 20% | 17% | 7% | 7% |
| Primary care physicians | 1,708:1 | 1,560:1 | 1,960:1 | 1,600:1 |
| Dentists | 6,819:1 | 1,731:1 | 1,190:1 | 1,500:1 |
| Mental health providers | 852:1 | 852:1 | 500:1 | 340:1 |
| Diabetic monitoring | 78% | 84% | n/a | n/a |
| Mammography screening | 36.6% | 59.5% | 28% | 42% |
| lu vaccinations | n/a | n/a | 12% | 44% |
| Social & Economic Factors | | | | |
| High school graduation | 78% | 79% | 98% | 91% |
| Some college | 39.4% | 57.4% | 42% | 63% |
| Jnemployment | 10.8% | 8.2% | 3.2% | 3.9% |
| Children in poverty | 42% | 27% | 33% | 21% |
| ncome inequality | n/a | n/a | 6.6 | 4.9 |
| Children in single-parent households | 45% | 32% | 24% | 25% |
| Physical Environment | | | | |
| Air pollution- particulate matter | 13.6 | 13.5 | 7.4 | 8.2 |
| Drinking water violations | 0% | 7% | 0% | n/a |
| Severe housing problems | 12% | 14% | 11% | 13% |
| Driving alone to work | 78% | 82% | 83% | 79% |
| | | | | |

| Lake Cumberland District Health Department | | | | | |
|--|----------------|-----------|---------|-----------|--|
| Green County Factsheet 2024 2014 2024 | | | | | |
| Indicator | Green Kentucky | | Green | Kentucky | |
| Demographics | Green | Kentucky | Green | Rentucky | |
| Population | 11,315 | 4,380,415 | 11,365 | 4,512,310 | |
| % below 18 years of age | 22.0% | 23.2% | 20.9% | 22.3% | |
| % 65 and older | 18.1% | 14.0% | 21.1% | 17.6% | |
| % Non-Hispanic Black | 2.0% | 7.8% | 1.8% | 8.4% | |
| 6 Hispanic | 1.5% | 3.1% | 2.3% | 4.3% | |
| 6 Non-Hispanic White | 95.0% | 86.1% | 93.8% | 83.2% | |
| % not proficient in English | 0.1% | 1.0% | 0.0% | 1.0% | |
| Health Outcomes | 011/0 | 11070 | 0.070 | 1.070 | |
| Length of Life | | | | | |
| Premature Death | 8,097 | 8,768 | 10,800 | 11,100 | |
| Quality of Life | 8,057 | 0,700 | 10,800 | 11,100 | |
| Poor or fair health | 24% | 21% | 26% | 21% | |
| Poor physical health days | 5.3 | 4.8 | 5.5 | 4.5 | |
| Poor mental health days | 5.1 | 4.8 | 6.2 | 5.5 | |
| .ow birthweight | 8.2% | 9.1% | 8% | 9% | |
| Health Factors | 0.270 | 9.170 | 070 | 970 | |
| Health Behaviors | | | | | |
| | 31% | 26% | 27% | 20% | |
| Adult Smoking | 30% | | 44% | | |
| Adult Obesity | | 33% | - | 41% | |
| Food environment index | 7.8 | 7.4 | 3.9 | 6.8 | |
| Physical inactivity | 38% | 31% | 34% | 30% | |
| Access to exercise opportunities | 39% | 62% | 36% | 70% | |
| Excessive drinking | n/a | 12% | 13% | 15% | |
| Alcohol-impaired driving deaths | 9% | 28% | 10% | 26% | |
| Sexually transmitted infections | 348 | 381 | 177.1 | 410.3 | |
| Teen birth rate | 45 | 49 | 28 | 26 | |
| Clinical Care | 0.00(| 170/ | 00/ | | |
| Jninsured | 20% | 17% | 9% | 7% | |
| Primary care physicians | 11,220:1 | 1,560:1 | 5,650:1 | 1,600:1 | |
| Dentists | 2,829:1 | 1,731:1 | 2,840:1 | 1,500:1 | |
| Mental health providers | 2,829:1 | 852:1 | 450:1 | 340:1 | |
| Diabetic monitoring | 82% | 84% | n/a | n/a | |
| Mammography screening | 55.8% | 59.5% | 35% | 42% | |
| lu vaccinations | n/a | n/a | 32% | 44% | |
| Social & Economic Factors | | | | | |
| High school graduation | 95% | 79% | 88% | 91% | |
| Some college | 38.7% | 57.4% | 56% | 63% | |
| Jnemployment | 7.9% | 8.2% | 3.7% | 3.9% | |
| Children in poverty | 31% | 27% | 26% | 21% | |
| ncome inequality | n/a | n/a | 4.8 | 4.9 | |
| Children in single-parent households | 34% | 32% | 27% | 25% | |
| Physical Environment | | | | | |
| Air pollution- particulate matter | 13.5 | 13.5 | 8.1 | 8.2 | |
| Drinking water violations | 0% | 7% | 0% | n/a | |
| severe housing problems | 12% | 14% | 12% | 13% | |
| Driving alone to work | 79% | 82% | 78% | 79% | |
| ong commute- drive alone | 44% | 28% | 43% | 31% | |

| Lake Cur | nberland Distric | t Health Depart | ment | | |
|--------------------------------------|------------------|-----------------|----------|-----------|--|
| McCreary County Factsheet 2024 | | | | | |
| | 14 | 2024 | | | |
| Indicator | McCreary | Kentucky | McCreary | Kentucky | |
| Demographics | 10.050 | | 16 701 | | |
| Population | 18,069 | 4,380,415 | 16,701 | 4,512,310 | |
| % below 18 years of age | 21.9% | 23.2% | 21.6% | 22.3% | |
| % 65 and older | 13.3% | 14.0% | 16.4% | 17.6% | |
| % Non-Hispanic Black | 5.5% | 7.8% | 5.2% | 8.4% | |
| % Hispanic | 2.2% | 3.1% | 2.7% | 4.3% | |
| % Non-Hispanic White | 90.2% | 86.1% | 89.4% | 83.2% | |
| % not proficient in English | 0.3% | 1.0% | 0.0% | 1.0% | |
| Health Outcomes | | | | | |
| Length of Life | | | | | |
| Premature Death | 9,612 | 8,768 | 13,300 | 11,100 | |
| Quality of Life | | | | | |
| Poor or fair health | 41% | 21% | 31% | 21% | |
| Poor physical health days | 8.9 | 4.8 | 5.9 | 4.5 | |
| Poor mental health days | 6.2 | 4.3 | 6.6 | 5.5 | |
| Low birthweight | 9.2% | 9.1% | 10% | 9% | |
| Health Factors | | | | | |
| Health Behaviors | | | | | |
| Adult Smoking | 40% | 26% | 31% | 20% | |
| Adult Obesity | 32% | 33% | 44% | 41% | |
| Food environment index | 6.5 | 7.4 | 6.7 | 6.8 | |
| Physical inactivity | 35% | 31% | 39% | 30% | |
| Access to exercise opportunities | 100% | 62% | 100% | 70% | |
| Excessive drinking | 10% | 12% | 13% | 15% | |
| Alcohol-impaired driving deaths | 30% | 28% | 42% | 26% | |
| Sexually transmitted infections | 213 | 381 | 248.6 | 410.3 | |
| Teen birth rate | 84 | 49 | 44 | 26 | |
| Clinical Care | | | | | |
| Uninsured | 21% | 17% | 8% | 7% | |
| Primary care physicians | 3,657:1 | 1,560:1 | 16,890;1 | 1,600:1 | |
| Dentists | 18,069:1 | 1,731:1 | 8,350:1 | 1,500:1 | |
| Mental health providers | 1,390:1 | 852:1 | 840:1 | 340:1 | |
| Diabetic monitoring | 87% | 84% | n/a | n/a | |
| Mammography screening | 50.7% | 59.5% | 30% | 42% | |
| Flu vaccinations | n/a | n/a | 25% | 44% | |
| Social & Economic Factors | | | | | |
| High school graduation | 88% | 79% | 93% | 91% | |
| Some college | 42.4% | 57.4% | 41% | 63% | |
| Unemployment | 13.3% | 8.2% | 5.2% | 3.9% | |
| Children in poverty | 51% | 27% | 43% | 21% | |
| Income inequality | n/a | n/a | 6.3 | 4.9 | |
| Children in single-parent households | 27% | 32% | 22% | 25% | |
| Physical Environment | | | | | |
| Air pollution- particulate matter | 13.3 | 13.5 | 7.6 | 8.2 | |
| Drinking water violations | 0% | 7% | 0% | n/a | |
| Severe housing problems | 18% | 14% | 14% | 13% | |
| Driving alone to work | 81% | 82% | 78% | 79% | |
| Long commute- drive alone | 37% | 28% | 54% | 31% | |
| County Health Rankings 2014, 2024 | | | | | |

| Lake Cumberland District Health Department | | | | | | |
|--|---------|-----------|---------|-----------|--|--|
| Pulaski County Factsheet 2024 | | | | | | |
| | 2014 | | |)24 | | |
| Indicator | Pulaski | Kentucky | Pulaski | Kentucky | | |
| Demographics | | | | | | |
| Population | 63,593 | 4,380,415 | 65,795 | 4,512,310 | | |
| % below 18 years of age | 22.6% | 23.2% | 21.7% | 22.3% | | |
| % 65 and older | 16.9% | 14.0% | 19.8% | 17.6% | | |
| % Non-Hispanic Black | 1.2% | 7.8% | 1.2% | 8.4% | | |
| % Hispanic | 2.2% | 3.1% | 2.9% | 4.3% | | |
| % Non-Hispanic White | 94.9% | 86.1% | 93.5% | 83.2% | | |
| % not proficient in English | 0.3% | 1.0% | 1.0% | 1.0% | | |
| Health Outcomes | | | | | | |
| Length of Life | | - | | T | | |
| Premature Death | 9,194 | 8,768 | 12,300 | 11,100 | | |
| Quality of Life | | | | | | |
| Poor or fair health | 27% | 21% | 24% | 21% | | |
| Poor physical health days | 5.2 | 4.8 | 5.4 | 4.5 | | |
| Poor mental health days | 4.0 | 4.3 | 6.2 | 5.5 | | |
| Low birthweight | 8.8% | 9.1% | 9% | 9% | | |
| Health Factors | | | | | | |
| Health Behaviors | | | | | | |
| Adult Smoking | 27% | 26% | 24% | 20% | | |
| Adult Obesity | 32% | 33% | 39% | 41% | | |
| Food environment index | 7.1 | 7.4 | 6.8 | 6.8 | | |
| Physical inactivity | 33% | 31% | 20% | 30% | | |
| Access to exercise opportunities | 62% | 62% | 54% | 70% | | |
| Excessive drinking | 7% | 12% | 13% | 15% | | |
| Alcohol-impaired driving deaths | 22% | 28% | 29% | 26% | | |
| Sexually transmitted infections | 176 | 381 | 330.2 | 410.3 | | |
| Teen birth rate | 65 | 49 | 36 | 26 | | |
| Clinical Care | | | | | | |
| Uninsured | 18% | 17% | 7% | 7% | | |
| Primary care physicians | 1,415:1 | 1,560:1 | 1,390:1 | 1,600:1 | | |
| Dentists | 1,590:1 | 1,731:1 | 1,430:1 | 1,500:1 | | |
| Mental health providers | 757:1 | 852:1 | 230:1 | 340:1 | | |
| Diabetic monitoring | 87% | 84% | n/a | n/a | | |
| Mammography screening | 57.3% | 59.5% | 40% | 42% | | |
| Flu vaccinations | n/a | n/a | 30% | 44% | | |
| Social & Economic Factors | | · · · · · | | | | |
| High school graduation | 76% | 79% | 95% | 91% | | |
| Some college | 49.8% | 57.4% | 58% | 63% | | |
| Unemployment | 9.4% | 8.2% | 4.5% | 3.9% | | |
| Children in poverty | 31% | 27% | 23% | 21% | | |
| Income inequality | n/a | n/a | 5.5 | 4.9 | | |
| Children in single-parent households | 34% | 32% | 29% | 25% | | |
| Physical Environment | | | | | | |
| Air pollution- particulate matter | 13.2 | 13.5 | 7.0 | 8.2 | | |
| Drinking water violations | 14% | 7% | 0% | n/a | | |
| Severe housing problems | 17% | 14% | 15% | 13% | | |
| Driving alone to work | 84% | 82% | 86% | 79% | | |
| Long commute- drive alone | 20% | 28% | 21% | 31% | | |
| County Health Rankings 2014, 2024 | 2070 | 20/0 | 21/0 | 51/0 | | |

| Lake Cun | berland Distri | ct Health Depart | ment | | | |
|--------------------------------------|----------------|------------------|---------|-----------|--|--|
| Russell County Factsheet 2024 | | | | | | |
| | 20 | 014 | 2024 | | | |
| Indicator | Russell | Kentucky | Russell | Kentucky | | |
| Demographics | _ | | - | | | |
| Population | 17,497 | 4,380,415 | 18,178 | 4,512,310 | | |
| % below 18 years of age | 22.1% | 23.2% | 22.6% | 22.3% | | |
| % 65 and older | 18.1% | 14.0% | 21.1% | 17.6% | | |
| % Non-Hispanic Black | 0.6% | 7.8% | 0.7% | 8.4% | | |
| % Hispanic | 3.3% | 3.1% | 3.9% | 4.3% | | |
| % Non-Hispanic White | 94.8% | 86.1% | 93.4% | 83.2% | | |
| % not proficient in English | 0.9% | 1.0% | 0.0% | 1.0% | | |
| Health Outcomes | | | | | | |
| Length of Life | | | | | | |
| Premature Death | 9,453 | 8,768 | 12,500 | 11,100 | | |
| Quality of Life | | | | | | |
| Poor or fair health | 21% | 21% | 24% | 21% | | |
| Poor physical health days | 4.2 | 4.8 | 5.0 | 4.5 | | |
| Poor mental health days | 4.0 | 4.3 | 5.7 | 5.5 | | |
| Low birthweight | 8.0% | 9.1% | 8% | 9% | | |
| Health Factors | | | | | | |
| Health Behaviors | | | | | | |
| Adult Smoking | 31% | 26% | 25% | 20% | | |
| Adult Obesity | 32% | 33% | 41% | 41% | | |
| Food environment index | 7.8 | 7.4 | 7.2 | 6.8 | | |
| Physical inactivity | 38% | 31% | 32% | 30% | | |
| Access to exercise opportunities | 79% | 62% | 63% | 70% | | |
| Excessive drinking | 8% | 12% | 14% | 15% | | |
| Alcohol-impaired driving deaths | 20% | 28% | 44% | 26% | | |
| Sexually transmitted infections | 187 | 381 | 325.0 | 410.3 | | |
| Teen birth rate | 84 | 49 | 37 | 26 | | |
| Clinical Care | | | | P | | |
| Uninsured | 20% | 17% | 8% | 7% | | |
| Primary care physicians | 1,601:1 | 1,560:1 | 2,590:1 | 1,600:1 | | |
| Dentists | 2,916:1 | 1,731:1 | 3,640:1 | 1,500:1 | | |
| Mental health providers | 1,094:1 | 852:1 | 610:1 | 340:1 | | |
| Diabetic monitoring | 80% | 84% | n/a | n/a | | |
| Mammography screening | 57.5% | 59.5% | 42% | 42% | | |
| Flu vaccinations | n/a | n/a | 28% | 44% | | |
| Social & Economic Factors | | | | | | |
| High school graduation | 84% | 79% | 92% | 91% | | |
| Some college | 45.7% | 57.4% | 59% | 63% | | |
| Unemployment | 8.6% | 8.2% | 4.9% | 3.9% | | |
| Children in poverty | 40% | 27% | 27% | 21% | | |
| Income inequality | n/a | n/a | 5.2 | 4.9 | | |
| Children in single-parent households | 36% | 32% | 32% | 25% | | |
| Physical Environment | | | | | | |
| Air pollution- particulate matter | 13.4 | 13.5 | 7.8 | 8.2 | | |
| Drinking water violations | 0% | 7% | 0% | n/a | | |
| Severe housing problems | 17% | 14% | 11% | 13% | | |
| Driving alone to work | 80% | 82% | 86% | 79% | | |
| Long commute- drive alone | 22% | 28% | 27% | 31% | | |
| County Health Rankings 2014, 2024 | | | | | | |

| Lake Cumberland District Health Department | | | | | | |
|--|-------------------------|-----------|---------|-----------------|--|--|
| Taylor County Factsheet 2024 | | | | | | |
| Indicator | 2014 Taylor Kentucky | | Taylor |)24 Kentucky | | |
| Demographics | Таую | Kentucky | Таую | Кепциску | | |
| Population | 24,691 | 4,380,415 | 26,407 | 4,512,310 | | |
| % below 18 years of age | 22.1% | 23.2% | 22.7% | 22.3% | | |
| % 65 and older | 16.7% | 14.0% | 18.5% | 17.6% | | |
| % Non-Hispanic Black | 4.9% | 7.8% | 4.9% | 8.4% | | |
| 6 Hispanic | 1.8% | 3.1% | 2.8% | 4.3% | | |
| 6 Non-Hispanic White | 91.0% | 86.1% | 89.0% | 83.2% | | |
| 6 not proficient in English | 0.2% | 1.0% | 0.0% | 1.0% | | |
| Health Outcomes | 01270 | 11070 | 0.070 | 1.070 | | |
| Length of Life | | | | | | |
| Premature Death | 9,198 | 8,768 | 11,900 | 11,100 | | |
| Quality of Life | 5,150 | 0,700 | 11,500 | 11,100 | | |
| Poor or fair health | 22% | 21% | 20% | 21% | | |
| Poor physical health days | 4.6 | 4.8 | 4.6 | 4.5 | | |
| Poor mental health days | 4.0 | 4.3 | 5.8 | 5.5 | | |
| ow birthweight | 8.4% | 9.1% | 9% | 9% | | |
| Health Factors | 0.470 | 5.170 | 570 | 570 | | |
| Health Behaviors | | | | | | |
| Adult Smoking | 23% | 26% | 22% | 20% | | |
| Adult Obesity | 32% | 33% | 40% | 41% | | |
| ood environment index | 7.6 | 7.4 | 7.8 | 6.8 | | |
| Physical inactivity | 28% | 31% | 30% | 30% | | |
| Access to exercise opportunities | 28% | 62% | 68% | 70% | | |
| Excessive drinking | 12% | 12% | 16% | 15% | | |
| Alcohol-impaired driving deaths | 23% | 28% | 4% | 26% | | |
| Sexually transmitted infections | 421 | 381 | 259.2 | 410.3 | | |
| Feen birth rate | 421 | 49 | 30 | 26 | | |
| Clinical Care | 49 | 49 | 50 | 20 | | |
| Jninsured | 19% | 17% | 6% | 7% | | |
| Primary care physicians | 1,237:1 | 1,560:1 | 1,380:1 | 1,600:1 | | |
| Dentists | 3,527:1 | 1,731:1 | 3,300:1 | 1,500:1 | | |
| Aental health providers | | 852:1 | 390:1 | 340:1 | | |
| Diabetic monitoring | 1,122:1 87% | 84% | n/a | n/a | | |
| Aammography screening | 66.1% | 59.5% | 42% | 42% | | |
| ilu vaccinations | n/a | | 42% | | | |
| Social & Economic Factors | II/ d | n/a | 40% | 44% | | |
| ligh school graduation | 90% | 79% | 94% | 91% | | |
| | 43.8% | 57.4% | | 63% | | |
| iome college | | | 60% | | | |
| Jnemployment | 7.8% | 8.2% | 3.7% | 3.9% | | |
| Children in poverty | 32% | 27% | 24% | 21% | | |
| ncome inequality | n/a | n/a | 4.3 | 4.9 | | |
| Children in single-parent households | 40% | 32% | 25% | 25% | | |
| Physical Environment | 40.4 | 12.5 | 0.4 | | | |
| Air pollution- particulate matter | 13.4 | 13.5 | 8.1 | 8.2 | | |
| Drinking water violations | 0% | 7% | 0% | n/a | | |
| evere housing problems | 14% | 14% | 8% | 13% | | |
| Driving alone to work | 78% | 82% | 78% | 79% | | |
| ong commute- drive alone County Health Rankings 2014, 2024 | 19% | 28% | 24% | 31% | | |

| Lake Cumberland District Health Department Wayne County Factsheet 2024 | | | | | |
|---|---------|-----------|---------|-----------|--|
| | | 014 | 2024 | | |
| Indicator | Wayne | Kentucky | Wayne | Kentucky | |
| Demographics | | | | | |
| opulation | 20,824 | 4,380,415 | 19,681 | 4,512,310 | |
| 6 below 18 years of age | 22.3% | 23.2% | 20.2% | 22.3% | |
| 65 and older | 17.2% | 14.0% | 22.7% | 17.6% | |
| 6 Non-Hispanic Black | 1.5% | 7.8% | 1.7% | 8.4% | |
| 6 Hispanic | 2.9% | 3.1% | 3.7% | 4.3% | |
| 6 Non-Hispanic White | 94.1% | 86.1% | 92.7% | 83.2% | |
| 6 not proficient in English | 1.1% | 1.0% | 1.0% | 1.0% | |
| Health Outcomes | | | | | |
| Length of Life | | | | | |
| remature Death | 8,228 | 8,768 | 12,500 | 11,100 | |
| Quality of Life | | | | | |
| oor or fair health | 31% | 21% | 26% | 21% | |
| oor physical health days | 6.4 | 4.8 | 5.4 | 4.5 | |
| oor mental health days | 5.7 | 4.3 | 5.9 | 5.5 | |
| ow birthweight | 7.4% | 9.1% | 9% | 9% | |
| Health Factors | | | | | |
| Health Behaviors | | | | | |
| dult Smoking | 29% | 26% | 27% | 20% | |
| dult Obesity | 32% | 33% | 43% | 41% | |
| ood environment index | 6.3 | 7.4 | 6.5 | 6.8 | |
| hysical inactivity | 40% | 31% | 36% | 30% | |
| ccess to exercise opportunities | 42% | 62% | 34% | 70% | |
| xcessive drinking | n/a | 12% | 13% | 15% | |
| lcohol-impaired driving deaths | 36% | 28% | 31% | 26% | |
| exually transmitted infections | 186 | 381 | 204.7 | 410.3 | |
| een birth rate | 75 | 49 | 46 | 26 | |
| Clinical Care | | | | | |
| Jninsured | 19% | 17% | 7% | 7% | |
| Primary care physicians | 1,613:1 | 1,560:1 | 1,950:1 | 1,600:1 | |
| Pentists | 3,471:1 | 1,731:1 | 3,280:1 | 1,500:1 | |
| Iental health providers | 2,603:1 | 852:1 | 630:1 | 340:1 | |
| Diabetic monitoring | 88% | 84% | n/a | n/a | |
| Nammography screening | 48.8% | 59.5% | 33% | 42% | |
| lu vaccinations | n/a | n/a | 32% | 44% | |
| Social & Economic Factors | | | | | |
| ligh school graduation | 89% | 79% | 92% | 91% | |
| ome college | 38.4% | 57.4% | 43% | 63% | |
| Inemployment | 12.4% | 8.2% | 5.0% | 3.9% | |
| hildren in poverty | 38% | 27% | 39% | 21% | |
| ncome inequality | n/a | n/a | 5.5 | 4.9 | |
| hildren in single-parent households | 31% | 32% | 33% | 25% | |
| Physical Environment | | | | | |
| ir pollution- particulate matter | 13.4 | 13.5 | 7.5 | 8.2 | |
| Prinking water violations | 0% | 7% | 0% | n/a | |
| evere housing problems | 13% | 14% | 10% | 13% | |
| riving alone to work | 82% | 82% | 79% | 79% | |
| ong commute- drive alone | 31% | 28% | 30% | 31% | |

| Health Outcomes | |
|--------------------------------------|--|
| Length of Life | |
| Premature Death | Years of potential life lost before age 75 per 100,000 population (age-adjusted) |
| Quality of Life | |
| Poor or fair health | Percentage of adults reporting fair or poor health (age-adjusted) |
| Poor physical health days | Average number of physically unhealthy days reported in past 30 days (age- adjusted) |
| Poor mental health days | Average number of mentally unhealthy days reported in past 30 days (age- adjusted) |
| Low birthweight | Percentage of live births with low birthweight (< 2,500 grams) |
| Health Factors | |
| Health Behaviors | |
| Adult Smoking | Percentage of adults who are current smokers (age-adjusted) |
| Adult Obesity | Percentage of the adult population that reports a BM) greater than or equal to 30 kg/m2 (age-adjusted) |
| Food environment index | Index of factors that contribute to a healthy food environment, from 0 (worst) to 10 (best) |
| Physical inactivity | Percentage of adults reporting no leisure-time physical activity (age-adjusted) |
| Access to exercise opportunities | Percentage of population with adequate access to locations for physical activity |
| Excessive drinking | Percentage of adults reporting binge or heavy drinking (age-adjusted) |
| Alcohol-impaired driving deaths | Percentage of driving deaths with alcohol involvement |
| Sexually transmitted infections | Number of newly diagnosed chlamydia cases per 100,000 population |
| Teen birth rate | Number of births per 1,000 female population ages 15-19 |
| Clinical Care | Descente of a secletion under sec CF without health insures |
| Uninsured Primary care physicians | Percentage of population under age 65 without health insurance Ratio of population to primary care physicians |
| Dentists | Ratio of population to dentists |
| Mental health providers | Ratio of population to dentation Ratio of population to mental health provider |
| Diabetic monitoring | Percentage of diabetic Medicare enrollees ages 65-75 that receive HbA1c monitoring |
| Mammography screening | Percentage of female Medicare enrollees ages 65-74 who received an annual mammography screening |
| Flu vaccinations | Percentage of fee-for-service (FFS) Medicare enrollees who had an annual flu vaccination |
| Social & Economic Factors | |
| High school graduation | Percentage of ninth-grade cohort that graduates in four years |
| Some college | Percentage of adults ages 25-44 with some post-secondary education |
| Unemployment | Percentage of population ages 16 and older unemployed but seeking work |
| Children in poverty | Percentage of people under age 18 in poverty |
| Income inequality | Ratio of household income at the 80th percentile to income at the 20th percentile |
| Children in single-parent households | Percentage of children that live in a household headed by a single parent |
| Physical Environment | |
| Air pollution- particulate matter | Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5) |
| Drinking water violations | Percentage of population potentially exposed to water exceeding a violation limit during the past year. |
| Severe housing problems | Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, lack of kitchen facilities, or lack of plumbing facilities |
| Driving alone to work | Percentage of the workforce that drives alone to work |
| Long commute- drive alone | Among workers who commute in their car alone, the percentage that commute more than 30 minutes |
| County Health Rankings 2014, 2024 | |